



Winston H. Hickox
Secretary for
Environmental
Protection

California Regional Water Quality Control Board

Central Valley Region

Robert Schneider, Chair

Sacramento Main Office

Internet Address: <http://www.swrcb.ca.gov/rwqcb5>
3443 Routier Road, Suite A, Sacramento, California 95827-3003
Phone (916) 255-3000 • FAX (916) 255-3015



Gray Davis
Governor

19 August 2002

To: Interested Parties

STAFF WORKSHOP ON THE LOWER SAN JOAQUIN RIVER DIAZINON AND CHLORPYRIFOS TOTAL MAXIMUM DAILY LOADS (TMDLs) IMPLEMENTATION FRAMEWORK

Regional Board staff will hold a public workshop to present the implementation framework for control of diazinon and chlorpyrifos in the Lower San Joaquin River. Participation by all interested parties is encouraged. The workshop will be held on **10 September 2002 from 9:00 A.M. to 12:00 P.M.** and will be located at:

**Stanislaus County Agricultural Center,
Harvest Hall-Training Center
Room D & E
3800 Cornucopia Way
Modesto**


Individuals requiring special accommodations are requested to contact Mr. Ron Tanaka at 916-255-6300 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

A map and directions to the workshop can be found on the back of this letter and draft agendas are enclosed. If you have any questions please contact Shakoora Azimi at (916) 255-3092 or azimis@rb5s.swrcb.ca.gov.

Leslie F. Grober
Senior Land and Water Use Analyst
San Joaquin River TMDL Unit

enclosure

California Environmental Protection Agency



California Regional Water Quality Control Board – Central Valley Region

AGENDA

10 September 2002

9:00 AM to 12:00 PM

**STAFF WORKSHOP ON THE
LOWER SAN JOAQUIN RIVER
DIAZINON AND CHLORPYRIFOS TOTAL MAXIMUM DAILY LOAD (TMDL)
IMPLEMENTATION FRAMEWORK**

**Stanislaus County Agricultural Center
Harvest Hall-Training Center
3800 Cornucopia Way
Modesto, CA**

9:00-9:10	Welcome and Introduction
9:10-9:20	San Joaquin River TMDLs Status
9:20-10:00	Implementation Framework <ul style="list-style-type: none">▪ Regulatory Authorities▪ Regulatory Controls▪ Non-Regulatory Controls
10:00-10:15	Break
10:15-11:15	Implementation Practices for Diazinon and Chlorpyrifos
11:15-11:30	Concurrent Implementation of TMDL
11:30-12:00	Questions and Comments